

Test Report

號碼(No.): ETR22300083 日期(Date): 10-Mar-2022 頁數(Page): 1 of 9

元耀科技股份有限公司 (YENYO TECHNOLOGY CO., LTD.) 宜蘭縣礁溪鄉龍潭村龍泉路189號 (NO. 189, LUNG CHIUAN ROAD, LUNGTAN TS

宜蘭縣礁溪鄉龍潭村龍泉路189號 (NO. 189, LUNG CHIUAN ROAD, LUNGTAN TSUEN, JIAU-SHI SHIANG, YI-LAN COUNTY 26246, TAIWAN, R. O. C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

送樣廠商(Sample Submitted By) : 元耀科技股份有限公司 (YENYO TECHNOLOGY CO., LTD.)

樣品名稱(Sample Name) : SURFACE MOUNT DEVICE, MELF, MINI BRIDGE, AND GENERAL PURPOSE

BRIDGE RECTIFIER

樣品型號(Style/Item No.) : SMA(B)(C)、SMAF、SMBF、SOT-23、SOT-89、SOD-123FL、

SOD-323 \ SOD-123G \ SOD-523FL \ MINI-DIP \ SOD-923 \ DO-218 \ SOD-323G \ DO-213AB \ SOT-223 \ AK \ KBU \ DBS \ ABS \ DB-M \

GBU \ DFN1006 \ SOIC-8 \ SOT-23-6 \ DFN0603 \ DFN2510 \

SOD-323 \ SOT-143 \ SOT-23-3 \ SOT-363

收件日(Sample Receiving Date) : 01-Mar-2022

測試期間(Testing Period) : 01-Mar-2022 to 10-Mar-2022

測試需求(Test Requested) : 依據客戶要求進行測試,測試項目請參閱測試結果表格。 (Testing item(s)

is/are specified by client. Please refer to result table for testing item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

Troy Chang / Department Malager Signed for and on behalf of Arwan SGS TAIWAN LTD. Chemical Laboratory - Taipei



PIN CODE: F5D655F4



Test Report

號碼(No.): ETR22300083 日期(Date): 10-Mar-2022 頁數(Page): 2 of 9

元耀科技股份有限公司 (YENYO TECHNOLOGY CO., LTD.) 宜蘭縣礁溪鄉龍潭村龍泉路189號 (NO. 189, LUNG CHIUAN ROAD, LUNGTAN TSUEN, JIAU-SHI SHIANG, YI-LAN COUNTY 26246, TAIWAN, R. O. C.)

測試部位敘述 (Test Part Description)

No.1 : 整體混測 (MIXED ALL PARTS)

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-43-9)	參考IEC 62321-5: 2013.以感應耦合電漿發射光 譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)	參考IEC 62321-5: 2013.以感應耦合電漿發射光 譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	7500
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-97-6)	參考IEC 62321-4: 2013+ AMD1: 2017 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI)) (CAS No.: 18540-29-9)	參考IEC 62321-7-2: 2017·以紫外光-可見光分光 光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.
五溴聯苯 (Pentabromobiphenyl)	參考IEC 62321-6: 2015·以氣相層析儀/質譜儀分	mg/kg	5	n.d.
六溴聯苯 (Hexabromobiphenyl)	析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯 (Heptabromobiphenyl)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.



Test Report

號碼(No.): ETR22300083 日期(Date): 10-Mar-2022 頁數(Page): 3 of 9

元耀科技股份有限公司 (YENYO TECHNOLOGY CO., LTD.) 宜蘭縣礁溪鄉龍潭村龍泉路189號 (NO. 189, LUNG CHIUAN ROAD, LUNGTAN TSUEN, JIAU-SHI SHIANG, YI-LAN COUNTY 26246, TAIWAN, R. O. C.)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.
五溴聯苯醚 (Pentabromodiphenyl ether)	參考IEC 62321-6: 2015,以氣相層析儀/質譜儀分	mg/kg	5	n.d.
六溴聯苯醚 (Hexabromodiphenyl ether)	析。(With reference to IEC 62321-6: 2015,	mg/kg	5	n.d.
七溴聯苯醚 (Heptabromodiphenyl ether)	analysis was performed by GC/MS.)	mg/kg	5	n.d.
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.
phthalate (BBP)) (CAS No.: 85-68-7)				
鄰苯二甲酸二丁酯 (DBP) (Dibutyl		mg/kg	50	n.d.
phthalate (DBP)) (CAS No.: 84-74-2)				
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-		mg/kg	50	n.d.
(2-ethylhexyl) phthalate (DEHP)) (CAS				
No.: 117-81-7)				
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl	参考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分	mg/kg	50	n.d.
phthalate (DIBP)) (CAS No.: 84-69-5)	析。(With reference to IEC 62321-8: 2017,			
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl	analysis was performed by GC/MS.)	mg/kg	50	n.d.
phthalate (DIDP)) (CAS No.: 26761-40-				
0, 68515-49-1)				
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl		mg/kg	50	n.d.
phthalate (DINP)) (CAS No.: 28553-12-				
0, 68515-48-0)				
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl		mg/kg	50	n.d.
phthalate (DNOP)) (CAS No.: 117-84-0)				



Test Report

號碼(No.): ETR22300083 日期(Date): 10-Mar-2022 頁數(Page): 4 of 9

元耀科技股份有限公司 (YENYO TECHNOLOGY CO., LTD.) 宜蘭縣礁溪鄉龍潭村龍泉路189號 (NO. 189, LUNG CHIUAN ROAD, LUNGTAN TSUEN, JIAU-SHI SHIANG, YI-LAN COUNTY 26246, TAIWAN, R. O. C.)

測試項目	測試方法	單位	MDL	結果
(Test Items)	(Method)	(Unit)		(Result)
				No.1
六溴環十二烷及所有主要被辨別出的異構	參考IEC 62321: 2008 · 以氣相層析儀/質譜儀分	mg/kg	5	n.d.
物(HBCDD) (α- HBCDD, β- HBCDD, γ-	析。(With reference to IEC 62321: 2008, analysis			
HBCDD) (Hexabromocyclododecane	was performed by GC/MS.)			
(HBCDD) and all major				
diastereoisomers identified (α - HBCDD,				
β- HBCDD, γ- HBCDD)) (CAS No.:				
25637-99-4, 3194-55-6 (134237-51-7,				
134237-50-6, 134237-52-8))				

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 樣品的測試是基於申請人要求混合測試‧報告中的混合測試結果不代表其中個別單一材質的含量。
 The sample(s) was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value.



Test Report

號碼(No.): ETR22300083 日期(Date): 10-Mar-2022

頁數(Page): 5 of 9


元耀科技股份有限公司 (YENYO TECHNOLOGY CO., LTD.)

宜蘭縣礁溪鄉龍潭村龍泉路189號 (NO. 189, LUNG CHIUAN ROAD, LUNGTAN TSUEN, JIAU-SHI SHIANG, YI-LAN COUNTY 26246, TAIWAN, R. O. C.)

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR22300083 日期(Date): 10-Mar-2022 頁數(Page): 6 of 9

元耀科技股份有限公司 (YENYO TECHNOLOGY CO., LTD.) 宜蘭縣礁溪鄉龍潭村龍泉路189號 (NO. 189, LUNG CHIUAN ROAD, LUNGTAN TSUEN, JIAU-SHI SHIANG, YI-LAN COUNTY 26246, TAIWAN, R. O. C.)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






Test Report

號碼(No.): ETR22300083 日期(Date): 10-Mar-2022 頁數(Page): 7 of 9

元耀科技股份有限公司 (YENYO TECHNOLOGY CO., LTD.) 宜蘭縣礁溪鄉龍潭村龍泉路189號 (NO. 189, LUNG CHIUAN ROAD, LUNGTAN TSUEN, JIAU-SHI SHIANG, YI-LAN COUNTY 26246, TAIWAN, R. O. C.)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): ETR22300083 日期(Date): 10-Mar-2022 頁數(Page): 8 of 9

元耀科技股份有限公司 (YENYO TECHNOLOGY CO., LTD.) 宜蘭縣礁溪鄉龍潭村龍泉路189號 (NO. 189, LUNG CHIUAN ROAD, LUNGTAN TSUEN, JIAU-SHI SHIANG, YI-LAN COUNTY 26246, TAIWAN, R. O. C.)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD





Test Report


號碼(No.): ETR22300083 日期(Date): 10-Mar-2022

頁數(Page): 9 of 9


元耀科技股份有限公司 (YENYO TECHNOLOGY CO., LTD.) 宜蘭縣礁溪鄉龍潭村龍泉路189號 (NO. 189, LUNG CHIUAN ROAD, LUNGTAN TSUEN, JIAU-SHI SHIANG, YI-LAN COUNTY 26246, TAIWAN, R. O. C.)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR22300083



ETR22300083



** 報告結尾 (End of Report) **